


|                                                                                                              |                                                |                                                                      |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------------------------------------|
| <b>Search Notes</b><br><br> | <b>Application/Control No.</b><br><br>10578654 | <b>Applicant(s)/Patent Under Reexamination</b><br><br>FRADKIN ET AL. |
|                                                                                                              | <b>Examiner</b><br><br>STEPHEN R KOZIOL        | <b>Art Unit</b><br><br>2624                                          |

| SEARCHED |               |           |          |
|----------|---------------|-----------|----------|
| Class    | Subclass      | Date      | Examiner |
| 382      | 120, 154, 280 | 2/27/2009 | SRK      |
| 715      | 764, 781, 828 | 2/27/2009 | SRK      |

| SEARCH NOTES                                                                        |           |          |
|-------------------------------------------------------------------------------------|-----------|----------|
| Search Notes                                                                        | Date      | Examiner |
| PALM inventor name double patenting search                                          | 2/27/2009 | SRK      |
| IEEE Transactions on Medical Imaging search for 3D image alignment and registration | 2/27/2009 | SRK      |

| INTERFERENCE SEARCH |          |      |          |
|---------------------|----------|------|----------|
| Class               | Subclass | Date | Examiner |
|                     |          |      |          |

|                                      |  |
|--------------------------------------|--|
| /S. R. K./<br>Examiner.Art Unit 2624 |  |
|--------------------------------------|--|